1975i

Stay trim and powerful in the danger zone. With IECEX ia, Class I II III Division 1 certification, 117 blinding bright lumens, and a true penlight size and shape, the new Pelican™ 1975i penlight is the slimmest and brightest safety approved penlight. Engineered with an aluminum core and ABS overmolded plastic, the Pelican™ 1975i penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth. The Pelican™ 1975 penlight activates with a click of the tail switch or light pressure for momentary use. The Pelican™ 1975i penlight: Make danger your pen pal.



- 2 AAA Batteries
- Slim and Tough Design
- Full / Momentary Activation Tail Switch
- Helmet Mount
- 117 Lumens
- Safety Certified, IECEX ia, Class I, II, III, Division 1

DIMENSIONS

Length	5.75" (14.6 cm)

MATERIALS

Body	Anti-static Impact Modified PC/PBT
O-Ring	NBR
Lens	PC
Shroud	Anti-static Impact Modified PC/PBT
Clip	Anti-static Impact Modified PC/PBT

COLOURS

High Visibility Yellow

LIGHT SPECS

Lamp Type	LED

POWER

Battery Size	AAA
Battery Type	Alkaline
Battery Quantity	2
Batteries Included	yes
Volts	3.0v

WEIGHT

Weight With Batteries	1.9 oz (54 gr)
Weight Without Batteries	1.0 oz (28 gr)

SWITCH

Switch Type	Momentary Push Button
Light Modes	High

CERTIFICATIONS

IECEx ia

FL1 STANDARD	HIGH
	117 LUMENS
	2h 15mins
	24m
	141cd
	IP68

ACCESSORIES



1975H
Helmet Light Holder

Pelican
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 10-31-26