iM2620

Storm

Travel Case



The Pelican™ Storm Case™ has the same legendary DNA as our Pelican Protector Case, with one primary difference: A unique Press and Pull latch that locks automatically, but open with a light touch.
Guaranteed for life, the Pelican Storm case is made in the USA and engineered using the finest components.

- Guaranteed for life
- **Watertight, crushproof, and dustproof**
- Trolley handle & wheel system
- Two Press & Pull Latches
- Two Padlockable Hasps
- Double-layered, Soft-grip Handle
- Vortex™ Valve
- Powerful Hinges
- Lightweight Strong HPX® Resin

CONFIGURATIONS



iM2620
Standard



iM2620-X0000
No Foam



iM2620-X0002
With Padded Dividers



iM2620-X0006
With TrekPak Divider System



iM2620-X0001
With Foam

DIMENSIONS

Interior (L×W×D)	20.00 x 14.00" x 10.00 (50.8 x 35.6 x 25.4 cm)
Exterior (L×W×D)	21.20 x 16.00" x 10.60 (53.8 x 40.6 x 26.9 cm)
Lid Depth	2.00" (5.1 cm)
Bottom Depth	8.00" (20.3 cm)
Total Depth	10" (25.4 cm)
Int Volume	1.62 ft³ (0.046 m³)
Padlock Hole Diameter	0.38" (1 cm)

MATERIALS

Body	Injection Molded HPX™ high performance resin
Latch	Valox - Polybutylene Terephthalate (PBT)
Latch (Alt)	Xenoy - Polyester/Polycarbonate blend
O-Ring	EPDM
Pins	Stainless Steel

Pins (Alt)	Aluminum
Foam	1.3/1.35 polyester
Purge Body	Valox - Polybutylene Terephthalate (PBT)
Purge Body (Alt)	Xenoy - Polyester/Polycarbonate blend
Purge Vent	Gortex membrane

COLOURS

Black OD Green

WEIGHT

Weight With Foam	14.50 lbs (6.58 kg)
Weight Empty	12.50 lbs (5.67 kg)
Buoyancy	101.62 lbs (46.09 kg)
Master Pack Weight	14.50 lbs (6.58 kg)

TEMPERATURE

Minimum Temperature	-20°F (-28.9 °C)
Maximum Temperature	140°F (60 °C)


CERTIFICATIONS

IP67


OTHER

Master Pack	1
Military	yes


ACCESSORIES



iM2620-BEZEL-LID
Lid Bezel Kit



iM2620-BEZEL
Base Bezel Kit



iM2620-FOAM
6 pc. Replacement Foam Set



iM-STRAP-S-VER2
Padded Shoulder Strap



iM-LIDSTAY
Lid Stay



iM2620TPKIT
TrekPak Case Divider Kit



1506TSA
TSA Lock



1500D
Desiccant Silica Gel

Pelican
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 11-04-26