



## 2360

### Tactical Flashlight

If you like the convenience of AA alkaline batteries, but need the performance of lithium batteries, the 2360 LED is the light for you. Using 2 standard AA alkaline batteries, the new 2360 LED emits a peak output of 375 lumens. The 2360 includes 3 modes - High / Strobe / Low and allows the user to select from 4 selectable programs. With the included 29 lumen low beam a run time of up to 13 hours will support close up use and any extended time needs. A strobe mode is also included for tactical or signaling purposes. The built-in battery level indicator ensures you will not be left in the dark.

Constructed with the most durable of materials: an aerospace grade aluminum body and an impact resistant LED lamp module, the 2360 LED keeps you on point without equipment failure.

High, Low and Strobe light output is available with a push of the tail button. It features a non-slip textured body for secure handling. The removable pocket clip offers alternative carry options.

- 4 Selectable Programs
- Pelican Products, Inc.'s Lifetime Guarantee
- 375 lumens
- 3 modes High / Strobe / Low
- Battery Level Indication
- 2 AA Batteries (included)



### DIMENSIONS

---

|               |                 |
|---------------|-----------------|
| <b>Length</b> | 6.20" (15.7 cm) |
|---------------|-----------------|

### MATERIALS

---

|               |                                |
|---------------|--------------------------------|
| <b>Body</b>   | Aluminum with Type II Anodized |
| <b>O-Ring</b> | EPDM                           |
| <b>Lens</b>   | Polycarbonate (PC)             |
| <b>Shroud</b> | Aluminum with Type II Anodized |
| <b>Clip</b>   | High Carbon Steel              |

### COLOURS

---

|  |       |
|--|-------|
| <span style="background-color: black; width: 10px; height: 10px; display: inline-block;"></span> | Black |
|--|-------|

### LIGHT SPECS

---

|                  |     |
|------------------|-----|
| <b>Lamp Type</b> | LED |
|------------------|-----|

### POWER

---

|                                |                 |
|--------------------------------|-----------------|
| <b>Battery Size</b>            | AA              |
| <b>Battery Type</b>            | Alkaline        |
| <b>Battery Quantity</b>        | 2               |
| <b>Batteries Included</b>      | yes             |
| <b>Battery Level Indicator</b> | Level indicator |
| <b>Volts</b>                   | 3.0v            |

## WEIGHT

**Weight With Batteries** 5.4 oz (153 gr)

**Weight Without Batteries** 3.7 oz (105 gr)

## SWITCH

**Switch Type** Momentary Push Button

**Light Modes** High / Strobe / Low

## OTHER

**Minimum Pack** 6

**Package Code** B

| FL1 STANDARD  | HIGH       | LOW       |
|---|------------|-----------|
|    | 375 LUMENS | 29 LUMENS |
|   | 2h 30mins  | 13h 0mins |
|  | 192m       | 53m       |
|  | 9187cd     | 705cd     |
|  | IPX8 (1m)  |           |

## ACCESSORIES



**2469P**  
Replacement Battery

---

**Pelican**

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 02-02-26*