# 2360

Tactical Flashlight

If you like the convenience of AA alkaline batteries, but need the performance of lithium batteries, the 2360 LED is the light for you. Using 2 standard AA alkaline batteries, the new 2360 LED emits a peak output of 375 lumens. The 2360 includes 3 modes – High / Strobe / Low and allows the user to select from 4 selectable programs. With the included 29 lumen low beam a run time of up to 13 hours will support close up use and any extended time needs. A strobe mode is also included for tactical or signaling purposes. The built-in battery level indicator ensures you will not be left in the dark.
Constructed with the most durable of materials: an aerospace grade aluminum body and an impact resistant LED lamp module, the 2360 LED keeps you on point without equipment failure.
High, Low and Strobe light output is available with a push of the tail button. It features a non-slip textured body for secure handling. The removable pocket clip offers alternative carry options.




- 4 Selectable Programs
- Pelican Products, Inc.'s Lifetime Guarantee
- 375 lumens
- 3 modes High / Strobe / Low
- Battery Level Indication
- 2 AA Batteries (included)

## DIMENSIONS

**Length** 6.20" (15.7 cm)

## MATERIALS

| | |
|---|---|
| **Body** | Aluminum with Type II Anodized |
| **O-Ring** | EPDM |
| **Lens** | Polycarbonate (PC) |
| **Shroud** | Aluminum with Type II Anodized |
| **Clip** | High Carbon Steel |

## COLOURS

Black

## LIGHT SPECS

| | |
|---|---|
| **Lamp Type** | LED |

## POWER

| | |
|---|---|
| **Battery Size** | AA |
| **Battery Type** | Alkaline |
| **Battery Quantity** | 2 |
| **Batteries Included** | yes |

| | |
|---|---|
| **Battery Level Indicator** | Level indicator |
| **Volts** | 3.0v |

## WEIGHT

| | |
|---|---|
| **Weight With Batteries** | 5.4 oz (153 gr) |
| **Weight Without Batteries** | 3.7 oz (105 gr) |

## SWITCH

| | |
|---|---|
| **Switch Type** | Momentary Push Button |
| **Light Modes** | High / Strobe / Low |

## OTHER

| | |
|---|---|
| **Minimum Pack** | 6 |
| **Package Code** | B |

| FL1 STANDARD | HIGH | LOW |
|---|---|---|
| | 375 LUMENS | 29 LUMENS |
| | 2h 30mins | 13h 0mins |
| | 192m | 53m |
| | 9187cd | 705cd |
| | IPX8 (1m) | |

## ACCESSORIES




**2469P**
Replacement Battery

---

**Pelican**
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

*Document created on 11-04-26*