3410M

Right Angle Light



The most versatile pro-grade flashlight in the world, with magnet clip.
The 3410M (magnet version) is the ultimate compact work light. Molded from “glow in the dark” photoluminescent material, this light is easy to find even when it’s off. The 3410M is equipped with both a spot and flood LED for close-up as well as distance, so you can have wide area light in the immediate work area and still penetrate darkness hundreds of yards away. It can be activated to run one or both LEDs with 3 levels of brightness. The articulating head and built-in clip allows the light to be directed wherever it is needed, while a heavy duty magnet allows the light to be snapped to steel surfaces.
The Pelican 3410M- a professional grade multi-task lighting tool that will help you get the job done- under any circumstances.

- Articulating Light Head
- "Glow in the Dark" Body
- Attached clip with integrated magnet
- Security Lanyard
- 3 Modes: High / Medium / Low
- 4 modes: spot/flood, spot, flood, flashing
- Split ring installed

DIMENSIONS

Length 7.44" (18.9 cm)

MATERIALS

Body	Photo luminescent Polycarbonate (PC)
O-Ring	NBR
Lens	Clear Polycarbonate (PC)
Shroud	Photo luminescent Polycarbonate (PC)
Clip	Photo luminescent Polycarbonate (PC)
Contact Spring Retainer	Stainless Steel / Phosphore Bronze / Brass Nickel Plate

COLOURS

Photoluminescent

LIGHT SPECS

Lamp Type	LED
Lamp Secondary Type	LED

POWER

Battery Size	AA
Battery Type	Alkaline
Battery Quantity	3
Volts	4.5v

WEIGHT

Weight With Batteries 9.9 oz (281 gr)

Weight Without Batteries 7.4 oz (210 gr)

SWITCH

Switch Type Push Button

Light Modes High / Medium / Low / Flashing

FL1 STANDARD	HIGH	MED	LOW	HIGH	MED	LOW	HIGH	MED	LOW
	404 LUMENS	90 LUMENS	23 LUMENS	653 LUMENS	97 LUMENS	25 LUMENS	441 LUMENS	98 LUMENS	25 LUMENS
	6h 0mins	20h 0mins	67h 0mins	5h 0mins	19h 0mins	61h 0mins	6h 0mins	20h 0mins	63h 0mins
	54m	25m	13m	184m	67m	34m	194m	90m	45m
	737cd	161cd	40cd	8504cd	1129cd	292cd	9408cd	2019cd	514cd
	IPX8 (1m)								

ACCESSORIES



2469P
Replacement Battery

Pelican
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311

sales@pelican.com • www.pelican.com

Document created on 11-04-26