1535

Air

Carry-On Case

Pelican™ Air cases are the toughest and lightest cases Pelican has to offer. Designed with a super-light proprietary HPX² polymer construction, each Pelican Air case is up to 40 percent lighter than an average polymer case, yet still extremely durable. Pelican Air cases are waterproof, crushproof, and dustproof.
The Pelican 1535 Air Case provides protection for a wide variety of gear, from camera equipment to camping kits. It is available with foam, without foam, padded dividers, or TrekPak dividers. The Pelican 1535 Air Case is the maximum airline carry-on size, so you can travel with your sensitive gear close at hand. This Pelican Air case will lighten the load, while protecting your valued possessions.
(Check with your airline for exact measurement requirements)



- Maximum airline carry on size*
- Waterproof, crushproof, dustproof
- Super-light proprietary HPX²™ Polymer - up to 40% lighter
- Press and Pull™ Latches
- Retractable extension trolley handle
- Quiet rolling stainless-steel bearing wheels
- Fold down over-molded handle
- Waterproof O-ring seal
- Business card holder
- Automatic pressure equalization valve - balances interior pressure, keeps water out
- Stainless steel padlock protectors
- IP67 & MIL-SPEC certified
- Limited Lifetime Warranty
- Made in the USA
- *Check with your airline for exact measurement requirements

CONFIGURATIONS



1535
Standard



1535NF
No Foam



1535WD
With Padded Dividers



1535TP
With TrekPak Divider System



1535WF
With Foam



1535AIRTPF
TrekPak / Foam Hybrid



1535AV
Universal Camera

DIMENSIONS

Interior (L×W×D)	20.39 x 11.20" x 7.21 (51.8 x 28.4 x 18.3 cm)
Exterior (L×W×D)	21.96 x 13.97" x 8.98 (55.8 x 35.5 x 22.8 cm)
Lid Depth	2.00" (5.1 cm)
Bottom Depth	5.21" (13.2 cm)
Total Depth	7.21" (18.3 cm)
Int Volume	0.95 ft³ (0.027 m³)
Padlock Hole Diameter	0.31" (0.8 cm)

MATERIALS

Body	Proprietary Polypropylene Blend
Latch	ABS
O-Ring	EPDM
Purge Body	ABS
Purge Vent	Hi-Flow Gore-Tex 3 Micron Hydrophobic Non-Woven

COLOURS

Black
Orange
Silver
Yellow
Graphite
OCP Tan
Limestone
Reef Blue

WEIGHT

Weight With Foam	9.98 lbs (4.53 kg)
Weight Empty	8.69 lbs (3.94 kg)
Buoyancy	64.80 lbs (29.39 kg)
Weight With TrekPak / Foam Hybrid	11.91 lbs (5.4 kg)

TEMPERATURE

Minimum Temperature	0°F (-17.8 °C)
Maximum Temperature	140°F (60 °C)

OTHER

Wheels 2

ACCESSORIES



1535AirFS
5 pc. Replacement Foam Set



1535AirDS
Padded Divider Set



1535TPKIT
TrekPak Case Divider Kit



1506TSA
TSA Lock



1500D
Desiccant Silica Gel



1535MP
EZ-Click™ MOLLE Panel



AIRHANDL
EZ-Pull Multi-Stage Air Handle

Pelican
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 11-04-26