# 1930
## L1™




With a long lamp life and extended battery burn time, you won't be left in the dark with the L1™ flashlight. The polycarbonate body is resistant to chemicals, water and corrosion. The convenient tail switch for constant on/momentary is easy to operate. The L1™ is perfect for close quarter use. Packaged with 4 LR 44 1.5V alkaline coin cells, a break-a-way safety lanyard, and colored lens discs to preserve night vision. This handy flashlight offers a lot for its size.

- Built Peli tough
- Super bright LED beam
- Security Lanyard
- Peli's legendary lifetime guarantee**
- **Where applicable by law

## CONFIGURATIONS



**1930**
Standard

**1930M**
Merchandiser Display

## DIMENSIONS

| | |
|---|---|
| **Length** | 2.64" (6.7 cm) |

## MATERIALS

| | |
|---|---|
| **Body** | Polycarbonate (PC) |
| **O-Ring** | Ethylene Propylene |
| **Lens** | Polycarbonate (PC) |
| **Shroud** | Xenoy |
| **Contact Spring Retainer** | Phosphore Bronze |

## COLOURS

| | |
|---|---|
| Black | High Visibility Yellow |

## LIGHT SPECS

| | |
|---|---|
| **Lamp Type** | LED |

## POWER

| | |
|---|---|
| **Battery Size** | LR 44 |
| **Battery Type** | Alkaline |
| **Battery Quantity** | 4 |
| **Batteries Included** | yes |
| **Volts** | 6.0v |

## WEIGHT

| | |
|---|---|
| **Weight With Batteries** | 0.9 oz (26 gr) |
| **Weight Without Batteries** | 0.6 oz (17 gr) |

## SWITCH


| | |
|---|---|
| **Switch Type** | Push Button Tail |
| **Light Modes** | On / Off |

## CERTIFICATIONS

**Class I, Division 1**

## OTHER

| | |
|---|---|
| **Minimum Pack** | 12 |
| **Military** | yes |
| **Package Code** | C |

| FL1 STANDARD | HIGH |
|---|---|
|  | 13 LUMENS |
|  | 1h 30mins |
|  | 24m |
|  | 150cd |
|  | IPX4 |

**Peli**
c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

*Document created on 10-29-26*