



## 1975Z1

Stay trim and powerful in the danger zone. With ATEX Zone 1 (Category 2) certification, 94 blinding bright lumens, a run time of 8.25 hours, and a true penlight size and shape, the Peli™ 1975Z1 torch is the slimmest and brightest safety approved penlight.

Engineered with an aluminum core and ABS overmoulded polymer, the Peli™ 1975Z1 penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth. The 1975Z1 activates with a click of the tail switch or light pressure for momentary use.

The Peli™ 1975Z1 penlight: Make danger your pen pal.

- 2 AAA Batteries
- Slim and Tough Design
- Full / Momentary Activation Tail Switch
- Helmet Mount (sold separately)
- Safety Certified Zone 1 (Category 2)
- 94 Lumens



### DIMENSIONS

|        |                 |
|--------|-----------------|
| Length | 5.75" (14.6 cm) |
|--------|-----------------|

### MATERIALS

|        |     |
|--------|-----|
| Body   | ABS |
| O-Ring | NBR |
| Lens   | PC  |
| Shroud | ABS |
| Clip   | ABS |

### COLOURS

|  |
|--|
|  High Visibility Yellow |
|--|

### LIGHT SPECS

|           |     |
|-----------|-----|
| Lamp Type | LED |
|-----------|-----|

### POWER

|                    |          |
|--------------------|----------|
| Battery Size       | AAA      |
| Battery Type       | Alkaline |
| Battery Quantity   | 2        |
| Batteries Included | yes      |
| Volts              | 3.0v     |






### WEIGHT

|                          |                |
|--------------------------|----------------|
| Weight With Batteries    | 1.9 oz (54 gr) |
| Weight Without Batteries | 1.0 oz (28 gr) |

SWITCH

|             |                       |
|-------------|-----------------------|
| Switch Type | Momentary Push Button |
| Light Modes | High                  |

CERTIFICATIONS

| ATEX Zone 1   |              |
|---|--------------|
| FL1 STANDARD  | HIGH         |
|    | 94<br>LUMENS |
|    | 8h 15mins    |
|   | 22m          |
|  | 122cd        |
|  | IP68         |

ACCESSORIES



**1975H**  
Helmet Light Holder

