



## 7060

### Tactical Flashlight

In a rare collaboration between public and private sectors, the City of Los Angeles Police Department (LAPD) has partnered with Peli Products to develop the Peli 7060 LED as the standard issue tactical/patrol flashlight for all its officers.

The Peli 7060 LED light employs a revolutionary dual switch technology that allows the light to be activated by either a body-mounted patrol switch or a tail-mounted tactical switch. The dual switches, which include a momentary mode and high/strobe/medium/low beams, allows the user to grip the light in several positions and still control activation. In addition, the 7060 is self programmable. This allows the individual user to custom tailor the various modes to their liking. The light incorporates a rechargeable Lithium-Ion battery for maximum brightness and is also lightweight compared to standard batteries.

Battery, desk/dash charger, and multi-regional power supply included.

- Built Peli tough
- Super bright LED beam
- Lithium Ion Rechargeable Battery



### DIMENSIONS

|               |               |
|---------------|---------------|
| <b>Length</b> | 8.65" (22 cm) |
|---------------|---------------|

### MATERIALS

|               |                    |
|---------------|--------------------|
| <b>Body</b>   | Xenoy              |
| <b>O-Ring</b> | EPDM               |
| <b>Lens</b>   | Polycarbonate (PC) |
| <b>Shroud</b> | Xenoy              |

### COLOURS

|                                                                                           |
|-------------------------------------------------------------------------------------------|
|  Black |
|-------------------------------------------------------------------------------------------|

### LIGHT SPECS

|                  |     |
|------------------|-----|
| <b>Lamp Type</b> | LED |
|------------------|-----|

### POWER

|                           |             |
|---------------------------|-------------|
| <b>Battery Size</b>       | 18650       |
| <b>Battery Type</b>       | Lithium-Ion |
| <b>Battery Quantity</b>   | 1           |
| <b>Batteries Included</b> | yes         |
| <b>Rechargeable</b>       | yes         |
| <b>Charge Time</b>        | 5 hrs       |
| <b>Volts</b>              | 3.7v        |

### WEIGHT

|                              |                  |
|------------------------------|------------------|
| <b>Weight With Batteries</b> | 10.4 oz (295 gr) |
|------------------------------|------------------|

**Weight Without Batteries**

8.2 oz (232 gr)

## SWITCH

|                    |                              |
|--------------------|------------------------------|
| <b>Switch Type</b> | 3-Way Side and Tail Switches |
| <b>Light Modes</b> | High / Strobe / Medium / Low |

## OTHER

|                     |   |
|---------------------|---|
| <b>Minimum Pack</b> | 1 |
| <b>Package Code</b> | B |

| FL1 STANDARD                                                                        | HIGH          | MEDIUM        | LOW          |
|-------------------------------------------------------------------------------------|---------------|---------------|--------------|
|    | 535<br>LUMENS | 218<br>LUMENS | 26<br>LUMENS |
|    | 3h 45mins     | 12h 0mins     | 68h 0mins    |
|  | 207m          | 131m          | 44m          |
|  | 10707cd       | 4297cd        | 481cd        |
|  | IPX4          |               |              |

## ACCESSORIES



**7069**  
Replacement Battery



**8056F**  
12v Plug-in for Fast Charger



**7070**  
Deck/Dash Charger Base Unit



**6061F**  
Direct Wiring Rig for Fast Charger

**Peli**

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

*Document created on 04-28-24*