



iM2500

Storm

Carry-On Case

The Peli™ Storm Case™ has the same legendary DNA as our Peli Protector Case, with one primary difference: A unique Press and Pull latch that locks automatically, but open with a light touch.

Guaranteed for life, the Peli Storm case is made in the USA and engineered using the finest components.

The Peli™ iM2500 Storm Case is designed to meet the maximum airline carry-on size, allowing you to keep your sensitive gear securely by your side while traveling. Be sure to verify the specific size requirements with your airline, as they may vary.

- **Watertight, crushproof, and dustproof**
- Two Press & Pull Latches
- Two Padlockable Hasps
- Double-layered, Soft-grip Handle
- Vortex™ Valve
- Powerful Hinges
- Lightweight Strong HPX® Resin
- Check the size allowance of your airline




CONFIGURATIONS



iM2500
Standard



iM2500-X0000
No Foam



iM2500-X0002
With Padded Dividers



iM2500-X0006
With TrekPak Divider System



iM2500-X0001
With Foam

DIMENSIONS

| | |
|------------------------------|---|
| Interior (L×W×D) | 20.50 x 11.50" x 7.20 (52.1 x 29.2 x 18.3 cm) |
| Exterior (L×W×D) | 21.70 x 14.10" x 8.90 (55.1 x 35.8 x 22.6 cm) |
| Lid Depth | 2.00" (5.1 cm) |
| Bottom Depth | 5.20" (13.2 cm) |
| Total Depth | 7.2" (18.3 cm) |
| Int Volume | 0.98 ft ³ (0.028 m ³) |
| Padlock Hole Diameter | 0.28" (0.7 cm) |

MATERIALS

| | |
|-------------------------|--|
| Body | Injection Molded HPX™ high performance resin |
| Latch | Valox - Polybutylene Terephthalate (PBT) |
| Latch (Alt) | Xenoy - Polyester/Polycarbonate blend |
| O-Ring | EPDM |
| Pins | Stainless Steel |
| Pins (Alt) | Aluminum |
| Foam | 1.3/1.35 polyester |
| Purge Body | Valox - Polybutylene Terephthalate (PBT) |
| Purge Body (Alt) | Xenoy - Polyester/Polycarbonate blend |

Purge Vent

Gortex membrane

COLOURS

■ Black

■ OD Green

■ Yellow

WEIGHT

| | |
|---------------------------|----------------------|
| Weight With Foam | 13.70 lbs (6.21 kg) |
| Weight Empty | 11.10 lbs (5.03 kg) |
| Buoyancy | 62.56 lbs (28.38 kg) |
| Master Pack Weight | 42.10 lbs (19.1 kg) |

TEMPERATURE

| | |
|----------------------------|------------------|
| Minimum Temperature | -20°F (-28.9 °C) |
| Maximum Temperature | 140°F (60 °C) |

CERTIFICATIONS

IP67

OTHER

| | |
|--------------------------|-----|
| Extendable Handle | yes |
| Master Pack | 3 |
| Military | yes |

ACCESSORIES



iM2500-UTILITYORG
Utility Organizer



iM2500-FOAM
5 pc. Replacement Foam Set



iM2500-DIV
Padded Divider Set




iM-STRAP-S-VER2
Padded Shoulder Strap



iM-LIDSTAY
Lid Stay



iM2500-M4-BEZEL-L
Lid Bezel Kit (Metric)



iM2500-MBEZ-B
Base Bezel Kit (Metric)



iM2500-TREK
TrekPak Case Divider Kit



1555TPDIV
Extra TrekPak Dividers



1506TSA
TSA Lock



1500D
Desiccant Silica Gel



IM2720TPDIV
Extra TrekPak Dividers

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 04-18-26