



## 2460 StealthLite™

The rechargeable version of the StealthLite™ 2410 LED Flashlight,. The 2460 uses the 2469P Ni-MH batteries for extended burn time. It comes with a charger base unit that can be installed at home or work using the transformer, or in a vehicle through direct wiring or 12V plug-in.

- Built Peli tough
- Rechargeable battery pack
- Submersible
- Super bright 1 watt LED beam
- Peli's legendary lifetime guarantee\*\*
- \*\*Where applicable by law



### CONFIGURATIONS



**2460**  
Standard



**2461B**  
Flashlight with battery only

### DIMENSIONS

<b>Length</b>	7.00" (17.8 cm)
---------------	-----------------

### MATERIALS

<b>Body</b>	ABS
<b>O-Ring</b>	Ethylene Propylene
<b>Lens</b>	Polycarbonate (PC)
<b>Shroud</b>	ABS
<b>Contact Spring Retainer</b>	Stainless Steel / Phosphore Bronze

### COLOURS

	High Visibility Yellow
---	------------------------

### LIGHT SPECS

<b>Lamp Type</b>	LED
------------------	-----

### POWER

<b>Battery Type</b>	NiMH
<b>Battery Quantity</b>	4

<b>Batteries Included</b>	yes
<b>Rechargeable</b>	yes
<b>Charge Time</b>	3 hrs
<b>Volts</b>	4.8v

### WEIGHT

<b>Weight With Batteries</b>	7.8 oz (221 gr)
<b>Weight Without Batteries</b>	4.4 oz (125 gr)
<b>Packaged Weight</b>	1.4 oz (40 gr)

### SWITCH






<b>Switch Type</b>	One-handed Safety Switch
<b>Light Modes</b>	On / Off

### CERTIFICATIONS

<b>Class I, Division 2</b>
<b>Class II, Division 2</b>

### OTHER

<b>Submersible</b>	yes
<b>Minimum Pack</b>	1
<b>Military</b>	yes
<b>Package Code</b>	C

FL1 STANDARD	HIGH
	183 LUMENS
	5h 0mins
	179m
	8050cd
	IPX7

ACCESSORIES

---



**0770**  
Helmet Light Holder



**8056F**  
12v Plug-in for Fast Charger



**6061F**  
Direct Wiring Rig for Fast Charger



**2468H**  
220V Transformer (UK)

---

**Peli**

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

*Document created on 05-18-24*