



1535

Air

Carry-On Case

Peli™ Air cases are the toughest and lightest cases Peli has to offer. Designed with a super-light proprietary HPX² polymer construction, each Peli Air case is up to 40 percent lighter than an average polymer case, yet still extremely durable. Peli Air cases are waterproof, crushproof, and dustproof.

The Peli 1535 Air Case provides protection for a wide variety of gear, from camera equipment to camping kits. It is available with foam, without foam, padded dividers, or TrekPak dividers. The Peli 1535 Air Case is the maximum airline carry-on size, so you can travel with your sensitive gear close at hand. This Peli Air case will lighten the load, while protecting your valued possessions.

(Check with your airline for exact measurement requirements)

- Maximum airline carry on size*
- Automatic pressure equalization valve - balances interior pressure, keeps water out
- Automatic pressure equalization valve - balances interior pressure, keeps water out
- Fold down over-molded handle
- Retractable extension trolley handle
- Stainless steel padlock protectors
- Business card holder
- Quiet rolling stainless-steel bearing wheels
- *Check with your airline for exact measurement requirements
- Press and Pull™ Latches
- Limited Lifetime Warranty
- Super-light proprietary HPX²™ Polymer - up to 40% lighter
- Waterproof O-ring seal
- Waterproof, crushproof, dustproof
- IP67 & MIL-SPEC certified



CONFIGURATIONS



DIMENSIONS

| | |
|------------------------------|---|
| Interior (L×W×D) | 20.39 x 11.20" x 7.21 (51.8 x 28.4 x 18.3 cm) |
| Exterior (L×W×D) | 21.96 x 13.97" x 8.98 (55.8 x 35.5 x 22.8 cm) |
| Lid Depth | 2.00" (5.1 cm) |
| Bottom Depth | 5.21" (13.2 cm) |
| Total Depth | 7.21" (18.3 cm) |
| Int Volume | 0.95 ft ³ (0.027 m ³) |
| Padlock Hole Diameter | 0.31" (0.8 cm) |

MATERIALS

| | |
|-------------------|---|
| Body | Proprietary Polypropylene Blend |
| Latch | ABS |
| O-Ring | EPDM |
| Purge Body | ABS |
| Purge Vent | Hi-Flow Gore-Tex 3 Micron Hydrophobic Non-Woven |

COLOURS

| | | | |
|---|--|---|---|
|  Black |  Orange |  Silver |  White |
|  Yellow |  Graphite |  Sage / Gray |  French Blue |
|  OCP Tan |  Hunter Green | | |

WEIGHT

| | |
|--|---------------------|
| Weight With Foam | 9.98 lbs (4.5 kg) |
| Weight Empty | 8.69 lbs (3.9 kg) |
| Buoyancy | 64.80 lbs (29.4 kg) |
| Weight With TrekPak / Foam Hybrid | 11.91 lbs (5.4 kg) |




TEMPERATURE

| | |
|----------------------------|----------------|
| Minimum Temperature | 0°F (-17.8 °C) |
| Maximum Temperature | 140°F (60 °C) |

OTHER

| | |
|---------------|---|
| Wheels | 2 |
|---------------|---|

ACCESSORIES

| | | | | |
|---|---|---|--|---|
|  |  |  |  |  |
| 1535AirFS 5 pc. Replacement Foam Set | 1535AirDS Padded Divider Set | 1535TP-KIT TrekPak Case Divider Kit | 1510TPDIV Extra TrekPak Dividers | 1506TSA TSA Lock |
|  |  |  |  |  |
| 1500D Desiccant Silica Gel | 1535MP EZ-Click™ MOLLE Panel | RucPac-Pro-1 RucPac Pro Hardcase Backpack Conversion | RucPac-normal RucPac Standard Hardcase Backpack Conversion | 1535TPDIV Extra TrekPak Dividers |

info@peli.com • www.peli.com

Document created on 09-09-25