# 3310ELS

Emergency Lighting Station




When the power goes out, the Peli™ 3310 ELS appears: a self-contained glowing beacon and flashlight that's easy to locate in the dark. Housed in a clear tamper-proof case, the Peli™ 3310 ELS mounts to the wall in the home, office or factory, making it available during any power outage. The new Peli™ 3310 ELS: You'll never lose it.

- Great for emergency preparedness
- Signaling mode for search and rescue scenarios
- Wall mountable case for ease of access (hardware included)
- Ingress Protected IPX8 Submersible
- 378 lumens of light output

## DIMENSIONS

**Length** 6.14" (15.6 cm)

## MATERIALS

| | |
|---|---|
| **Body** | Photo luminescent Polycarbonate (PC) |
| **O-Ring** | EPDM |
| **Lens** | Polycarbonate (PC) |

## COLOURS

Photoluminescent

## LIGHT SPECS

| | |
|---|---|
| **Lamp Type** | LED |

## POWER

| | |
|---|---|
| **Battery Size** | AA |
| **Battery Type** | Alkaline |
| **Battery Quantity** | 3 |
| **Batteries Included** | yes |
| **Volts** | 4.5v |

## WEIGHT

| | |
|---|---|
| **Weight With Batteries** | 6.2 oz (176 gr) |

| | |
|---|---|
| **Weight Without Batteries** | 3.7 oz (105 gr) |

## SWITCH

| | |
|---|---|
| **Switch Type** | Push Button |
| **Light Modes** | High / Low / Flashing |

## OTHER

| | |
|---|---|
| **Minimum Pack** | 1 |

| **FL1 STANDARD** | **HIGH** | **LOW** |
|---|---|---|
| | 378 LUMENS | 39 LUMENS |
| | 8h 0mins | 202h 0mins |
| | 196m | 62m |
| | 9580cd | 961cd |
| | IPX8 (1m) | |

## ACCESSORIES




**2469P**
Replacement Battery

**Peli**
c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999

info@peli.com • www.peli.com

*Document created on 11-15-26*