

1560M Protector Mobility Case

Sensitive equipment needs protection, and since 1976 the answer has been the Peli™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

+ 4" diameter x 1.5" wide (10.2 x 3.8cm) heavy duty polyurethane wheels with stainless steel bearings

- Water resistant, crushproof, and dust resistant
- Automatic pressure equalization valve balances interior pressure, keeps water out
- · Comfortable rubber over-molded top and side handles
- Easy open double-throw latches
- O-ring seal
- Open cell core with solid wall design strong, light weight
- Retractable extension trolley handle
- Stainless steel hardware and padlock protectors
- Peli's legendary lifetime guarantee**
- * Where applicable by law



CONFIGURATIONS



1560M Standard



1560MNF No Foam



1560MWF With Foam

DIMENSIONS

| Interior (L×W×D) | 19.92 x 14.98" x 9.00 (50.6 x 38 x 22.9 cm) |
|-----------------------|--|
| Exterior (L×W×D) | 23.78 x 18.33" x 12.08 (60.4 x 46.6 x 30.7 cm) |
| Lid Depth | 2.00" (5.1 cm) |
| Bottom Depth | 7.00" (17.8 cm) |
| Total Depth | 9" (22.9 cm) |
| Int Volume | 1.55 ft³ (0.044 m³) |
| Padlock Hole Diameter | 5/16" (12.7 cm) |

MATERIALS

| ypropylene |
|------------------------------|
| S |
| ymer |
| inless Steel |
| b Polyurethane |
| S |
| licron Hydrophobic Non-Woven |
| |

COLOURS

Black

WEIGHT

| Weight With Foam | 24.30 lbs (11 kg) |
|------------------|--------------------|
| Weight Empty | 21.30 lbs (9.7 kg) |

TEMPERATURE

| Minimum Temperature | -40°F (-40 °C) |
|---------------------|-----------------|
| Maximum Temperature | 190°F (87.8 °C) |

CERTIFICATIONS

IP57

OTHER

| Wheels | 2 |
|-------------------|-----|
| Extendable Handle | yes |
| Master Pack | 1 |
| Nameplate | yes |
| Military | yes |

ACCESSORIES



0343 Replacement O-ring



1506TSA TSA Lock



1561 4 pc. Replacement Foam Set



1500D Desiccant Silica Gel



1565 Padded Divider Set



1560TPKIT TrekPak Case Divider Kit



1569 Lid Organizer



1560TPDIV Extra TrekPak Dividers



1507 Quick Mounts - set of 4

 Peli

 c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999

 info@peli.com

 • www.peli.com

Document created on 09-09-25