



## 1930

L1™

With a long lamp life and extended battery burn time, you won't be left in the dark with the L1™ flashlight. The polycarbonate body is resistant to chemicals, water and corrosion. The convenient tail switch for constant on/momentary is easy to operate. The L1™ is perfect for close quarter use. Packaged with 4 LR 44 1.5V alkaline coin cells, a break-a-way safety lanyard, and colored lens discs to preserve night vision. This handy flashlight offers a lot for its size.


- Built Peli tough
- Super bright LED beam
- Security Lanyard
- Peli's legendary lifetime guarantee\*\*
- \*\*Where applicable by law



### CONFIGURATIONS



**1930**  
Standard



**1930M**  
Merchandiser Display

### DIMENSIONS

|               |                |
|---------------|----------------|
| <b>Length</b> | 2.64" (6.7 cm) |
|---------------|----------------|

### MATERIALS

|                                |                    |
|--------------------------------|--------------------|
| <b>Body</b>                    | Polycarbonate (PC) |
| <b>O-Ring</b>                  | Ethylene Propylene |
| <b>Lens</b>                    | Polycarbonate (PC) |
| <b>Shroud</b>                  | Xenoy              |
| <b>Contact Spring Retainer</b> | Phosphore Bronze   |

### COLOURS

|   |  |
|---|--|
|  Black |  High Visibility Yellow |
|---|--|

### LIGHT SPECS

|                  |     |
|------------------|-----|
| <b>Lamp Type</b> | LED |
|------------------|-----|

### POWER

|                           |          |
|---------------------------|----------|
| <b>Battery Size</b>       | LR 44    |
| <b>Battery Type</b>       | Alkaline |
| <b>Battery Quantity</b>   | 4        |
| <b>Batteries Included</b> | yes      |
| <b>Volts</b>              | 6.0v     |

### WEIGHT

|                                 |                |
|---------------------------------|----------------|
| <b>Weight With Batteries</b>    | 0.9 oz (26 gr) |
| <b>Weight Without Batteries</b> | 0.6 oz (17 gr) |
| <b>Packaged Weight</b>          | 0.8 oz (23 gr) |

### SWITCH






|                    |                  |
|--------------------|------------------|
| <b>Switch Type</b> | Push Button Tail |
| <b>Light Modes</b> | On / Off         |

### CERTIFICATIONS

- Class I, Division 2
- Class II, Division 2
- Class I, Division 1

### OTHER

|                     |     |
|---------------------|-----|
| <b>Minimum Pack</b> | 12  |
| <b>Military</b>     | yes |
| <b>Package Code</b> | C   |

| FL1 STANDARD  | HIGH         |
|---|--------------|
|  | 12<br>LUMENS |
|  | 4h 15mins    |
|  | 17m          |
|  | 70cd         |
|  | IPX4         |

---

# ACCESSORIES

**Peli**

---

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

*Document created on 05-08-24*