



3660Z1

Little Ed™

Right Angle Light

The rechargeable 3660Z1 light uses a long-life NiMH battery pack for extended run time. It comes with a charger base unit that can be installed at home or work using the 220V transformer. Certified to ATEX Zone 1 (Category 2). Note: this charger base does not work on 12v systems.



DIMENSIONS

Length	7.51" (19.1 cm)
---------------	-----------------

MATERIALS

Body	Anti-static Impact Modified PC/PBT
O-Ring	Ethylene Propylene
Lens	Polycarbonate (PC)
Shroud	Anti-static Impact Modified PC/PBT
Clip	Stainless Steel
Contact Spring Retainer	Stainless Steel / Phosphore Bronze / Brass Nickel Plate

COLOURS

	High Visibility Yellow
---	------------------------

LIGHT SPECS

Lamp Type	LED
------------------	-----

POWER

Battery Size	AA
Battery Type	NiMH
Battery Quantity	4
Batteries Included	yes
Rechargeable	yes
Charge Time	5 hrs
Volts	4.8v

WEIGHT

Weight With Batteries	10.5 oz (298 gr)
------------------------------	------------------

Weight Without Batteries	6.9 oz (196 gr)
Packaged Weight	11.1 oz (315 gr)

SWITCH






Switch Type	One-handed Safety Switch
Light Modes	On / Off

CERTIFICATIONS

ATEX Zone 1

OTHER

Submersible	yes
Minimum Pack	1
Package Code	B

FL1 STANDARD	HIGH
	181 LUMENS
	5h 0mins
	181m
	8235cd
	IPX7

ACCESSORIES



2480F
Deck/Dash Charger Base Unit



2468Z1
220V Adapter



2469P
Replacement Battery

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 03-28-24