



2460 StealthLite™

The rechargeable version of the StealthLite™ 2410 LED Flashlight,. The 2460 uses the 2469P Ni-MH batteries for extended burn time. It comes with a charger base unit that can be installed at home or work using the transformer, or in a vehicle through direct wiring or 12V plug-in.


- Built Peli tough
- Rechargeable battery pack
- Submersible
- Super bright 1 watt LED beam
- Peli's legendary lifetime guarantee**
- **Where applicable by law



CONFIGURATIONS



2460
Standard



2461B
Flashlight with battery only

DIMENSIONS

Length	7.00" (17.8 cm)
---------------	-----------------

MATERIALS

Body	ABS
O-Ring	Ethylene Propylene
Lens	Polycarbonate (PC)
Shroud	ABS
Contact Spring Retainer	Stainless Steel / Phosphore Bronze

COLOURS

	High Visibility Yellow
---	------------------------

LIGHT SPECS

Lamp Type	LED
------------------	-----

POWER

Battery Type	NiMH
Battery Quantity	4

Batteries Included	yes
Rechargeable	yes
Charge Time	3 hrs
Volts	4.8v

WEIGHT

Weight With Batteries	7.8 oz (221 gr)
Weight Without Batteries	4.4 oz (125 gr)
Packaged Weight	1.4 oz (40 gr)

SWITCH






Switch Type	One-handed Safety Switch
Light Modes	On / Off

CERTIFICATIONS

Class I, Division 2
Class II, Division 2

OTHER

Submersible	yes
Minimum Pack	1
Military	yes
Package Code	C

FL1 STANDARD	HIGH
	183 LUMENS
	5h 0mins
	179m
	8050cd
	IPX7

ACCESSORIES



0770
Helmet Light Holder



8056F
12v Plug-in for Fast Charger



6061F
Direct Wiring Rig for Fast Charger



2468H
220V Transformer (UK)

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 05-16-24