

# 1520EU Protector

Sensitive equipment needs protection, and since 1976 the answer has been the Peli™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Peli cases have survived.

These tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

#### • Watertight, crushproof, and dustproof

Automatic pressure equalization valve - balances interior pressure, keeps water out

- Comfortable rubber over-molded handle
- Easy open double-throw latches
- O-ring seal
- Open cell core with solid wall design strong, light weight
- Pick N Pluck<sup>™</sup> with convoluted lid foam
- Stainless steel hardware and padlock protectors
- Made in Germany
- Peli's legendary lifetime guarantee\*\*
- \* Where applicable by law



# CONFIGURATIONS



1520EU Standard



1524 With Padded Dividers



**1520NF** No Foam



1520WF With Foam

#### DIMENSIONS

Interior (L×W×D)	17.68 x 12.53" x 6.73 (44.9 x 31.8 x 17.1 cm)
Exterior (L×W×D)	19.65 x 15.49" x 7.53 (49.9 x 39.3 x 19.1 cm)
Lid Depth	1.79" (4.5 cm)
Bottom Depth	4.93" (12.5 cm)
Total Depth	6.72" (17.1 cm)
Int Volume	0.86 ft <sup>3</sup> (0.024 m <sup>3</sup> )
Padlock Hole Diameter	5/16" (12.7 cm)

#### MATERIALS

Body	Polypropylene
Latch	ABS
O-Ring	Polymer
Pins	Stainless Steel
Foam	1.3 lb Polyurethane

Purge BodyABSPurge Vent3 Micron Hydrophobic Non-Woven

## COLOURS

Black	Desert Tan	Orange	OD Green
Silver	Yellow		

WEIGHT

Weight With Foam	9.35 lbs (4.2 kg)
Weight Empty	8.29 lbs (3.8 kg)
Buoyancy	63.00 lbs (28.6 kg)
Master Pack Weight	23.30 lbs (10.6 kg)

#### TEMPERATURE

Minimum Temperature	-40°F (-40 °C)
Maximum Temperature	210°F (98.9 °C)

# CERTIFICATIONS

IP67
MIL C-4150J
Def Stan 81-41

### OTHER

Master Pack	2
Nameplate	yes
Military	yes

# ACCESSORIES



**1508** Photographer's Lid Organizer



**1520TPKIT** TrekPak Case Divider Kit



**1509** Lid Organizer



**1507** Quick Mounts - set of 4



**1521** 3 pc. Replacement Foam Set



**1506TSA** TSA Lock



1523 Replacement O-ring



**1500D** Desiccant Silica Gel



**1525** Padded Divider Set



1520PF Special Application Panel Frame



1520TPDIV Extra TrekPak Dividers

> Peli c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

> > Document created on 05-09-24