

1975Z1

Stay trim and powerful in the danger zone. With ATEX Zone 1 (Category 2) certification, 94 blinding bright lumens, a run time of 8.25 hours, and a true penlight size and shape, the Peli™ 1975Z1 torch is the slimmest and brightest safety approved penlight.

Engineered with an aluminum core and ABS overmoulded polymer, the Peli™ 1975Z1 penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth. The 1975Z1 activates with a click of the tail switch or light pressure for momentary use.

The Peli™ 1975Z1 penlight: Make danger your pen pal.

- 2 AAA Batteries
- Slim and Tough Design
- Full / Momentary Activation Tail Switch
- Helmet Mount (sold separately)
- Safety Certified Zone 1 (Category 2)
- 94 Lumens



DIMENSIONS

| 75" (14.6 cm |) |
|--------------|--------------|
| • | 75" (14.6 cm |

MATERIALS

| Body | ABS |
|--------|-----|
| O-Ring | NBR |
| Lens | PC |
| Shroud | ABS |
| Clip | ABS |

COLOURS

High Visibility Yellow

LIGHT SPECS

| Lamp | Туре | | LED |
|------|------|--|-----|
|------|------|--|-----|

POWER

Battery SizeAAABattery TypeAlkalineBattery Quantity2Batteries IncludedyesVolts3.0v

WEIGHT

Weight With Batteries 1.9 oz (54 gr)
Weight Without
Batteries 1.0 oz (28 gr)

SWITCH

Switch Type Light Modes Momentary Push Button

High

CERTIFICATIONS

ATEX Zone 1

| FL1 STANDARD | HIGH |
|--------------|--------------|
| | 94 LUMENS |
| Θ | 8h 15mins |
| | 22m |
| | 122cd |
| | IP68 |

ACCESSORIES



1975H Helmet Light Holder

Document created on 05-09-24