



7060

Tactical Flashlight

In a rare collaboration between public and private sectors, the City of Los Angeles Police Department (LAPD) has partnered with Peli Products to develop the Peli 7060 LED as the standard issue tactical/patrol flashlight for all its officers.

The Peli 7060 LED light employs a revolutionary dual switch technology that allows the light to be activated by either a body-mounted patrol switch or a tail-mounted tactical switch. The dual switches, which include a momentary mode and high/strobe/medium/low beams, allows the user to grip the light in several positions and still control activation. In addition, the 7060 is self programmable. This allows the individual user to custom tailor the various modes to their liking. The light incorporates a rechargeable Lithium-Ion battery for maximum brightness and is also lightweight compared to standard batteries.

Battery, desk/dash charger, and multi-regional power supply included.

- Built Peli tough
- Super bright LED beam
- Lithium Ion Rechargeable Battery



DIMENSIONS

Length	8.65" (22 cm)
---------------	---------------

MATERIALS

Body	Xenoy
O-Ring	EPDM
Lens	Polycarbonate (PC)
Shroud	Xenoy

COLOURS

	Black
--	-------

LIGHT SPECS

Lamp Type	LED
------------------	-----

POWER

Battery Size	18650
Battery Type	Lithium-Ion
Battery Quantity	1
Batteries Included	yes
Rechargeable	yes
Charge Time	5 hrs
Volts	3.7v

WEIGHT

Weight With Batteries	10.4 oz (295 gr)
------------------------------	------------------


Weight Without Batteries 8.2 oz (232 gr)

SWITCH

Switch Type 3-Way Side and Tail Switches
Light Modes High / Strobe / Medium / Low

OTHER

Minimum Pack 1
Package Code B

FL1 STANDARD	HIGH	MEDIUM	LOW
	535 LUMENS	218 LUMENS	26 LUMENS
	3h 45mins	12h 0mins	68h 0mins
	207m	131m	44m
	10707cd	4297cd	481cd
	IPX4		

ACCESSORIES



7069
Replacement Battery



8056F
12v Plug-in for Fast Charger



7070
Deck/Dash Charger Base Unit



6061F
Direct Wiring Rig for Fast Charger

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

Document created on 02-01-26